

Work Order ID 163326

Tuesday, June 27, 2017 12:07:29 PM

163326

Page 1

Item ID: D4035-043 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Lid Rib Assembly, Aft (350 Basket)
Start Date: 7/6/2017 Start Qty: 10.00 ***10*** Cust Item ID:
Required Date: 7/10/2017 Req'd Qty: 10.00 ***10*** Customer:
Reference:

Approvals: Process Plan: DAS 21 9-89 Date: JUL 03 2017 Tooling: Date: Run Start ***NR1***
QC: Date: SPC (Y/N): Date: Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D4035	A								

100 Weld per dwg A/R S.S. rod Batch: B138057 0.00***100***

Large Fab

Large Fab

Memo

3.50

- 1- Cut D4035-3 as per dwg D4035
- 2- Drill holes using DT9563 and chamfer holes as per dwg D4035
- 3- remove identification marks and deburr
- 4- Weld bushing in rib and grind weld flush as per dwg D4035

10x D.M.L 2017-07-0417-08-01

110

QC10- Inspect visual per QSI004- ground welds 0.00

110

QC

Quality Control

Memo

0.00

13 17-08-02DAS
9
9-89

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐
Past Expiry Date ☐	☐	Manufacturing Process	☐	OTHER : _____			
Misidentified ☐	☐	Past Due	☐				

Work Order ID 163326

Tuesday, June 27, 2017 12:07:29 PM

163326

Page 2

Item ID: D4035-043 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Lid Rib Assembly, Aft (350 Basket)
Start Date: 7/6/2017 Start Qty: 10.00 ***10*** Cust Item ID:
Required Date: 7/10/2017 Req'd Qty: 10.00 ***10*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC5- Inspect part completeness to step on W/O	0.00							
120									
QC	Memo	0.20							DAS 9 9-89
Quality Control									
130	Identify as per dwg & Stock Location: <u>WA004</u>	0.00							
130									
Packaging	Memo	0.10							Dx D.M.L 2017-8-2
Packaging	LOCATION: WA004								
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	1.00							DAS 21 9-89
Quality Control									AUG 18 2017

DAS
21
9-89
AUG 09 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Tuesday, June 27, 2017 12:07:27 PM

Page 1

Work Order ID: 163326

163326

Parent Item: D4035-043

D4035-043

Parent Item Name: Lid Rib Assembly, Aft (350 Basket)

Start Date: 7/6/2017

Required Date: 7/10/2017

Start Qty: 10.00

Required Qty: 10.00

Comments: IPP revA: new issue DD 09.11.25 verified by:EC IPP Rev:B as
per dwg revA 10.03.15 verified by:EC IPP Rev:C 13.06.24 AS
PER DWG REV.pb2 DD VERF:JFS

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D4021-9		Manufactured	No			100	Each	110.0000	2	20			
---------	--	--------------	----	--	--	-----	------	----------	---	----	--	--	--

D4021-9

Bushing

**

B164511 → 20.9 1708-09

Location

Loc Qty

Loc Code

WA004

110

158785

4

162060

106

M304TS0.750W.049

Purchased

No

100

f

690.6895

1.75

18.42105

M304TS0 750W 049

**

DAS
43
9-89

AUG 18 2017

304 SQ Tube .75x.75x.049W

Location

Loc Qty

Loc Code

WA004

690.689474

M137401

8.689474

M137625

491

M137824

191

136907 = 2.53
137172 = 2
137401 = 16
137625 = 10

31

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE




QA Closed: _____ Date: _____

Work Order update only ☐


Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval																																																									
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER :			
Misidentified ☐	Past Due ☐																																																																

ITEM	QTY -041	QTY -043	QTY -045	QTY -047	P/N	DESCRIPTION
	X				D4035-041	LID RIB ASSY, FWD
		X			D4035-043	LID RIB ASSY, AFT
			X		D4035-045	LID RIB ASSY, FWD (LIGHT)
				X	D4035-047	LID RIB ASSY, AFT (LIGHT)
1	1				D4035-1	RIB
2		1			D4035-3	RIB
3			1		D4035-5	RIB
4				1	D4035-7	RIB
5				2	D4035-11	BUSHING
6	1				D2327-3	SPACER BUSHING
7			1		D2953-175	SPACER
8		2			D4021-9	BUSHING


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 163326
ML5
1707-03




D4035-041 BASKET LID RIB ASSY, FWD



D4035-043 BASKET LID RIB ASSY, AFT



D4035-045 BASKET LID RIB ASSY, FWD (LIGHT)




D4035-047 BASKET LID RIB ASSY, AFT (LIGHT)

RELEASED
2010-03-12
NW

A	NEW ISSUE	JPH	10.03.04
REV.	DESCRIPTION	BY	DATE
DESIGN	AJS		
DRAWN	JPH		
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	10.03.04		

DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWING NO. D4035	REV. A SHEET 1 OF 5
TITLE BASKET LID RIB ASSY	SCALE NTS
COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE, OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D4035-1
RIB

D2327-3
SPACER BUSHING

D4035-041 BASKET LID RIB ASSY. FWD



D4035-3
RIB

D4021-9
BUSHING
2 PL

G
G
TYP

D4035-043 BASKET LID RIB ASSY. AFT

RELEASED
2010-02-12

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.83 lbs
- 8) WELDING: PER DART QSI 004

DESIGN	AJS	DART AEROSPACE LTD	
DRAWN	JFH	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D4035	SHEET 2 OF 5
APPROVED		TITLE	SCALE
DE APPR.		BASKET LID RIB ASSY	NTS
DATE	10.03.04	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.			

BOARD REC'D CHECKED DISMAY DESIGN		1710 32A 1710 32A 1710 32A 1710 32A
---	--	--

1710 32A

1710 32A

1710 32A

1710 32A

D4035-5
RIB

D2953-175
SPACER

D4035-045 BASKET LID RIB ASSY. FWD (LIGHT)

D4035-7
RIB

D4035-11
BUSHING
2 PL

TYP

D4035-047 BASKET LID RIB ASSY. AFT (LIGHT)


RELEASED
2010-03-12
JW

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.34 lbs
- 8) WELDING: PER DART QSI 004

DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	JFH		
CHECKED	JFH	DRAWING NO. D4035	REV. A SHEET 3 OF 5
MFG. APPR.	JFH	TITLE BASKET LID RIB ASSY	SCALE NTS
APPROVED	JFH	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DE APPR.	JFH		
DATE	10.03.04		

CHECKED
CANNY



DESIGN	DATE	NO.	REV.
DRAWN	DATE	NO.	REV.
CHECKED	DATE	NO.	REV.
WKS	DATE	NO.	REV.
APP.	DATE	NO.	REV.

